

```
<wsdl:definitions xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex" xmlns:wsu="http://docs.oasis-
open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd"
xmlns:wsa10="http://www.w3.org/2005/08/addressing"
xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"
xmlns:wsap="http://schemas.xmlsoap.org/ws/2004/08/addressing/policy"
xmlns:msc="http://schemas.microsoft.com/ws/2005/12/wsdl/contract"
xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:wsam="http://www.w3.org/2007/05/addressing/metadata"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:tns="http://tempuri.org/"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/" name="RestABCGW"
targetNamespace="http://tempuri.org/">
```

```
<wsdl:types>
```

```
<xsd:schema targetNamespace="http://tempuri.org/Imports">
```

```
<xsd:import schemaLocation="http://IP Address/RestABCGW.svc?xsd=xsd0"
namespace="http://tempuri.org/" />
```

```
<xsd:import schemaLocation="http://IP Address /RestABCGW.svc?xsd=xsd1"
namespace="http://schemas.microsoft.com/2003/10/Serialization/" />
```

```
<xsd:import schemaLocation="http://IP Address / RestABCGW.svc?xsd=xsd2"
namespace="http://www.telenor.com.pk/SED/LocationGateway" />
```

```
<xsd:import schemaLocation="http://IP Address / RestABCGW.svc?xsd=xsd3"
namespace="http://schemas.datacontract.org/2004/07/LG.Entities" />
```

```
<xsd:import schemaLocation="http://IP Address / RestABCGW.svc?xsd=xsd4"
namespace="http://IPAddress/SED/LocationGateway/ResultMessage" />
```

```
</xsd:schema>
```

```
</wsdl:types>
```

```
<wsdl:message name="IRestABCGW_GetLocation_InputMessage">
```

```
<wsdl:part name="parameters" element="tns:GetLocation" />
```

```
</wsdl:message>
```

```
<wsdl:message name="IRestABCGW_GetLocation_OutputMessage">
```

```
<wsdl:part name="parameters" element="tns:GetLocationResponse"/>
</wsdl:message>
<wsdl:message name="IRestABCGW_SyncConfiguration_InputMessage">
<wsdl:part name="parameters" element="tns:SyncConfiguration"/>
</wsdl:message>
<wsdl:message name="IRestABCGW_SyncConfiguration_OutputMessage">
<wsdl:part name="parameters" element="tns:SyncConfigurationResponse"/>
</wsdl:message>
<wsdl:portType msc:usingSession="false" name="IRestABCGW">
<wsdl:operation name="GetLocation">
<wsdl:input wsaw:Action="http://tempuri.org/IRestABCGW/GetLocation"
message="tns:IRestABCGW_GetLocation_InputMessage"/>
<wsdl:output wsaw:Action="http://tempuri.org/IRestABCGW/GetLocationResponse"
message="tns:IRestABCGW_GetLocation_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="SyncConfiguration">
<wsdl:input wsaw:Action="http://tempuri.org/IRestABCGW/SyncConfiguration"
message="tns:IRestABCGW_SyncConfiguration_InputMessage"/>
<wsdl:output wsaw:Action="http://tempuri.org/IRestABCGW/SyncConfigurationResponse"
message="tns:IRestABCGW_SyncConfiguration_OutputMessage"/>
</wsdl:operation>
</wsdl:portType>
<wsdl:service name="RestABCGW"/>
</wsdl:definitions>
```